In Reply to Office Action of November 4, 2003

## IN THE CLAIMS

1-5 (Cancelled)

6 (Currently Amended): A method for treating hypertension comprising:

administering a composition comprising:

(A) 0.001 to 10 wt.% of an isolated chlorogenic acid, or an ester or salt of an isolated

chlorogenic acid; and

(B) 0.0005 to 10 wt.% of an organic acid having a molecular weight ranging from 60

to 300 or a pharmaceutically acceptable salt thereof, wherein said organic acid is not citric

acid.

7 (Previously Presented): The method of Claim 6, wherein (A) is a chlorogenic acid.

8 (Previously Presented): The method of Claim 6, wherein (A) is an ester of a

chlorogenic acid.

9 (Previously Presented): The method of Claim 6, wherein (A) is a salt of a

chlorogenic acid.

10 (Cancelled)

-2-

In Reply to Office Action of November 4, 2003

11 (Previously Presented): The method of Claim 6, wherein (B) is a carboxylic acid, other than citric acid.

12 (Previously Presented): The method of Claim 6, wherein (B) is a hydroxycarboxylic acid, other than citric acid.

13 (Previously Presented): The method of Claim 6, wherein (B) is a polycarboxylic acid, other than citric acid.

14 (Previously Presented): The method of Claim 6, wherein (B) is a ketocarboxylic acid.

15 (Withdrawn): The method of Claim 6, wherein (B) is selected from the group consisting of gluconic acid, fumaric acid, \alpha-ketoglutaric acid, succinic acid, glycolic acid, malic acid, tartaric acid, pyruvic acid, and malonic acid.

16 (Previously Presented): The method of Claim 6, wherein (B) is present in a vinegar.

17 (Previously Presented): The method of Claim 6, wherein (B) is present in a fruit juice or fruit extract.

In Reply to Office Action of November 4, 2003

- 18 (Withdrawn): A method for treating hypertension comprising: administering a composition comprising:
- (A) an isolated chlorogenic acid, or an ester or salt of an isolated chlorogenic acid; and
- (B) a component selected from the group consisting of a central nervous system stimulating component, food fiber, extract of perennial evergreen leaves of the genus Camellia, extract of perennial evergreen leaves of the genus Theaceae, extract of perennial evergreen leaves of the genus Eucommia ulmoides Oliver, Eucommiae, and a sugar alcohol.
- 19 (Previously Presented): The method of Claim 6, wherein said isolated chlorogenic acid is a pure stereoisomer.
- 20 (Previously Presented): The method of Claim 6, wherein said isolated chlorogenic acid is a mixture of stereoisomers.
- 21 (Previously Presented): The method of Claim 6, wherein said isolated chlorogenic acid is 4-caffeoylquinic acid.
- 22 (Previously Presented): The method of Claim 6, wherein said isolated chlorogenic acid is 5-caffeoylquinic acid.

In Reply to Office Action of November 4, 2003

23 (Previously Presented): The method of Claim 6, wherein said isolated chlorogenic acid is 3,4-dicaffeoylquinic acid.

24 (Previously Presented): The method of Claim 6, wherein said isolated chlorogenic acid is 3,5-dicaffeoylquinic acid.

25 (Previously Presented): The method of Claim 6, wherein said isolated chlorogenic acid is 4,5 dicaffeoylquinic acid.

26 (Previously Presented): The method of Claim 6, wherein said isolated chlorogenic acid is 3-feruloylquinic acid.

27 (Previously Presented): The method of Claim 6, wherein said isolated chlorogenic acid is 4-feruloylquinic acid.

28 (Previously Presented): The method of Claim 6, wherein said isolated chlorogenic acid is 5-feruloylquinic acid.

29 (Previously Presented): The method of Claim 6, wherein said isolated chlorogenic acid is 3-feruloyl-4-caffeoylquinic acid.

30 (Previously Presented): The method of Claim 6, wherein (B) is acetic acid.

Appl. No.: 09/944,079 In Reply to Office Action of November 4, 2003

31. (Previously Presented): The method of Claim 6, wherein (B) is lactic acid.